

This Page Is Inserted by IFW Operations
and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

**As rescanning documents *will not* correct images,
please do not report the images to the
Image Problem Mailbox.**

CLAIMS

1. A parenteral vaccine formulation comprising at least
5 one immunogenic substance, and as an adjuvant one or more
salts selected from salts formed with a Group 2 element
of the Periodic Table selected from Mg, Ca, Sr, Ba and
Ra, or a Group 4 element of the Periodic Table selected
10 from Ti, Zr, Hf, and Rf,
and hydrates thereof,
with the proviso that the salt is not calcium phosphate,
is not magnesium hydroxide in combination with aluminium
hydroxide or aluminium oxide and is not calcium hydroxide
15 in gel combination with zinc hydroxide, lecithin and
polyalphaolefine.
2. A parenteral vaccine formulation according to claim 1,
wherein the adjuvant is selected from inorganic salts.
- 20 3. A parenteral vaccine formulation according to claim 1,
wherein the adjuvant is selected from organic salts.
- Sub A2* 4. A parenteral vaccine formulation according to claims
25 1-2, wherein the adjuvant is selected from salts formed
with oxides, peroxides, hydroxides, carbonates,
phosphates, pyrophosphates, hydrogenphosphates, dihydro-
genphosphates, sulphates, and/or silicates,
and hydrates thereof.
- 30 5. A parenteral vaccine formulation according to claims
1-2, and 4, wherein the adjuvant is selected from salts
formed between Mg, Ca, Ba, Ti, or Zr, and oxide,
peroxide, hydroxide, and/or carbonate,
and hydrates thereof.
- 35

09525635-000004

8. A parenteral vaccine formulation according to claims 1-2, and 4-7, wherein the adjuvant is selected from magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide.

Sub A2 9. A parenteral vaccine formulation according to claims 1-8 further comprising an additional adjuvant.

5 10. A parenteral vaccine formulation according to claim 9, wherein the additional adjuvant is selected from saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium phosphate, and aluminium salts.

Sub A3 103 11. A parenteral vaccine formulation according to claims 1-10 further comprising pharmaceutically acceptable excipients and/or carriers.

15 12. A parenteral vaccine formulation according to claims 1-11 further comprising diluents, buffers, suspending agents, solubilising agents, pH-adjusting agents, dispersing agents, and/or colorants.

20 13. A parenteral vaccine formulation according to claims 1-12 for intravenous, intramuscular, intraarticular, subcutaneous, intradermal, epicutaneous, and intraperitoneal administration.

25 14. A parenteral vaccine formulation according to claims 1-13, wherein the cation of the adjuvant is present in an amount of from about 0.0004 to about 120 M, such as from about 0.004 to about 12 M.

30 15. A parenteral vaccine formulation according to claim 14, wherein the cation of the adjuvant is present in an amount of from about 0.008 to about 6 M.

Sub A4 35 16. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is magnesium hydroxide.

0925635 080904

Sub A

17. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is magnesium carbonate hydroxide pentahydrate.
- 5 18. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is titanium dioxide.
19. A parenteral vaccine formulation according to claims 1-15, wherein the adjuvant is a combination of magnesium
- 10 hydroxide and magnesium carbonate hydroxide pentahydrate, magnesium hydroxide and titanium dioxide, magnesium carbonate hydroxide pentahydrate and titanium dioxide, or magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide.
- 15 20. A parenteral vaccine formulation according to claims 16-19 further comprising an additional adjuvant selected from saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium phosphate, and aluminium salts.
- 20 21. An adjuvant composition for parenteral use comprising one or more salts selected from salts formed with a Group 2 element of the Periodic Table selected from Mg, Ca, Sr, Ba and Ra, or a Group 4 element of the Periodic Table
- 25 selected from Ti, Zr, Hf, and Rf, and hydrates thereof, with the proviso that the salt is not calcium phosphate, is not magnesium hydroxide in combination with aluminium hydroxide or aluminium oxide and is not calcium hydroxide
- 30 in gel combination with zinc hydroxide, lecithin and polyalphaolefine.
22. An adjuvant composition according to claim 21, wherein the salt is selected from inorganic salts.

23. An adjuvant composition according to claim 21, wherein the salt is selected from organic salts.

Sub A5
5

24. An adjuvant composition according to claims 21-22, wherein the salt is selected from salts formed with oxides, peroxides, hydroxides, carbonates, phosphates, pyrophosphates, hydrogenphosphates, dihydrogenphosphates, sulphates, and/or silicates, and hydrates thereof.

10

25. An adjuvant composition according to claims 21-22, and 24, wherein the salt is selected from salts formed between Mg, Ca, Ba, Ti or Zr, and oxide, peroxide, hydroxide, and/or carbonate, and hydrates thereof.

15

26. An adjuvant composition according to claims 21-22, and 24-25, wherein the salt is selected from salts formed between

20

magnesium and oxide, peroxide, hydroxide, and/or carbonate, calcium and oxide, peroxide, hydroxide, and/or carbonate, barium and oxide, peroxide, hydroxide, and/or carbonate, titanium and oxide, peroxide, hydroxide, and/or carbonate, and zirconium and oxide, peroxide, hydroxide, and/or carbonate, and hydrates thereof.

30

27. An adjuvant composition according to claims 21-22, and 24-26, wherein the salt is selected from magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, titanium dioxide, calcium carbonate, barium hydroxide, barium peroxide, barium carbonate, barium sulphate,

35

05925635-080901

Sub A5

beryllium oxide, calcium sulphate, calcium silicate,
 dicalcium silicate, tricalcium silicate, calcium
 pyrophosphate, calcium peroxide, calcium hydroxide,
 tricalcium phosphate, calcium hydrogenphosphate, calcium
 5 dihydrogenphosphate, calcium sulphate dihydrate,
 magnesium carbonate, magnesium oxide, magnesium dioxide,
 magnesium sulphate, trimagnesium phosphate, magnesium
 silicate, dimagnesium trisilicate, magnesium trisilicate,
 titanium disulphate, zirconium dioxide, zirconium
 10 hydroxide, zirconium sulphate, strontium peroxide, and
 strontium carbonate.

28. An adjuvant composition according to claims 21-22,
 and 24-27, wherein the salt is selected from magnesium
 15 hydroxide, magnesium carbonate hydroxide pentahydrate,
 and titanium dioxide.

29. An adjuvant composition according to claims 21-28
 further comprising an additional adjuvant.

20

30. An adjuvant composition according to claim 29,
 wherein the additional adjuvant is selected from saponins
 such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium
 phosphate, and aluminium salts.

25

Sub A6

31. An adjuvant composition according to claims 21-30
 further comprising pharmaceutically acceptable excipients
 and/or carriers.

30

32. An adjuvant composition according to claims 21-31
 further comprising diluents, buffers, suspending agents,
 solubilising agents, pH-adjusting agents, dispersing
 agents, and/or colorants.

T06030.0292660

Sub A 4 33. An adjuvant composition according to claims 21-32, wherein the cation of the salt is present in an amount of from about 0.0004 to about 120 M, such as from about 0.004 to about 12 M.

5

34. An adjuvant composition according to claim 33, wherein the cation of the salt is present in an amount of from about 0.008 to about 6 M.

Sub A 7 10 35. An adjuvant composition according to claims 21-34, wherein the salt is magnesium hydroxide.

15 36. An adjuvant composition according to claims 21-34, wherein the salt is magnesium carbonate hydroxide pentahydrate.

37. An adjuvant composition according to claims 21-34, wherein the salt is titanium dioxide.

20 38. An adjuvant composition according to claims 21-34, wherein the salt is a combination of magnesium hydroxide and magnesium carbonate hydroxide pentahydrate, magnesium hydroxide and titanium dioxide, magnesium carbonate hydroxide pentahydrate and titanium dioxide, or magnesium
25 hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide.

30 39. An adjuvant composition according to claims 35-38 further comprising an additional adjuvant selected from saponins such as Quil A and Qs-21, MF59, MPL, PLG, PLGA, calcium phosphate, and aluminium salts.

35 40. An adjuvant comprising one or more salts selected from salts formed with a Group 2 element of the Periodic Table selected from Mg, Ca, Sr, Ba and Ra, or a Group 4

09925635-080901

element of the Periodic Table selected from Ti, Zr, Hf, and Rf,

and hydrates thereof,

with the proviso that the salt is not calcium phosphate,

- 5 is not magnesium hydroxide in combination with aluminium hydroxide or aluminium oxide and is not calcium hydroxide in gel combination with zinc hydroxide, lecithin and polyalphaolefine.

- 10 41. An adjuvant according to claim 40, wherein the salt is selected from inorganic salts.

42. An adjuvant according to claims 40, wherein the salt is selected from organic salts.

- 15 *Sub A 8* 43. An adjuvant according to claims 40-41, wherein the salt is selected from salts formed with oxides, peroxides, hydroxides, carbonates, phosphates, pyrophosphates, hydrogenphosphates, dihydrogenphosphates, sulphates, and/or silicates, and hydrates thereof.
- 20

44. An adjuvant according to claims 40-41, and 43, wherein the salt is selected from salts formed between
- 25 Mg, Ca, Ba, Ti or Zr, and oxide, peroxide, hydroxide, and/or carbonate, and hydrates thereof.

45. An adjuvant according to claims 40-41, and 43-44 wherein the salt is selected from salts formed between
- 30

magnesium and oxide, peroxide, hydroxide, and/or carbonate,
calcium and oxide, peroxide, hydroxide, and/or carbonate,
barium and oxide, peroxide, hydroxide, and/or carbonate,

0925635-080901

Sub A8 titanium and oxide, peroxide, hydroxide, and/or
 carbonate, and
 zirconium and oxide, peroxide, hydroxide, and/or
 carbonate,
 5 and hydrates thereof.

46. An adjuvant according to claims 40-41, and 43-45
 wherein the salt is selected from magnesium hydroxide,
 magnesium carbonate hydroxide pentahydrate, titanium
 10 dioxide, calcium carbonate, barium hydroxide, barium
 peroxide, barium carbonate, barium sulphate, calcium
 sulphate, tricalcium silicate, calcium pyrophosphate,
 calcium peroxide, calcium hydroxide, tricalcium
 phosphate, calcium hydrogenphosphate, calcium
 15 dihydrogenphosphate, calcium sulphate dihydrate,
 magnesium carbonate, magnesium sulphate, trimagnesium
 phosphate, magnesium silicate, magnesium trisilicate,
 titanium disulphate, zirconium sulphate, strontium
 peroxide, and strontium carbonate.

20 47. An adjuvant according to claims 40-41, and 43-46,
 wherein the salt is selected from magnesium hydroxide,
 magnesium carbonate hydroxide pentahydrate, and titanium
 dioxide, or the salt is selected from a combination of
 25 magnesium hydroxide and magnesium carbonate hydroxide
 pentahydrate, magnesium hydroxide and titanium dioxide,
 magnesium carbonate hydroxide pentahydrate and titanium
 dioxide, or magnesium hydroxide, magnesium carbonate
 hydroxide pentahydrate, and titanium dioxide.

30 48. Use of an adjuvant according to claims 40-47 or an
 adjuvant composition according to claims 21-39 as a
 component of a parenteral vaccine formulation.

09925635-000001

53. Use according to claims 49-51, wherein the salt is selected from salts formed with oxides, peroxides, hydroxides, carbonates, phosphates, pyrophosphates,

Sub A9

hydrogenphosphates, dihydrogenphosphates, sulphates,
and/or silicates,
and hydrates thereof.

5 54. Use according to claims 49-51, and 53 wherein the salt is selected from salts formed between Mg, Ca, Ba, Ti, or Zr, and oxide, peroxide, hydroxide, and/or carbonate, and hydrates thereof.

10

55. Use according to claims 49-51, and 53-54, wherein the salt is selected from salts formed between

15 magnesium and oxide, peroxide, hydroxide, and/or
carbonate,
calcium and oxide, peroxide, hydroxide, and/or carbonate,
barium and oxide, peroxide, hydroxide, and/or carbonate,
titanium and oxide, peroxide, hydroxide, and/or
carbonate, and
20 zirconium and oxide, peroxide, hydroxide, and/or
carbonate,
and hydrates thereof.

56. Use according to claims 49-51, and 53-55, wherein the salt is selected from magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, titanium dioxide, calcium carbonate, barium hydroxide, barium peroxide, barium carbonate, barium sulphate, beryllium oxide, calcium sulphate, calcium silicate, dicalcium silicate, tricalcium silicate, calcium pyrophosphate, calcium peroxide, calcium hydroxide, tricalcium phosphate, calcium hydrogenphosphate, calcium dihydrogenphosphate, calcium sulphate dihydrate, magnesium carbonate, magnesium oxide, magnesium dioxide, magnesium sulphate, trimagnesium phosphate, magnesium silicate, dimagnesium

Sub A9

5 57. Use according to claims 49-51, and 53-56 wherein the salt is selected from magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide, or wherein the salt is selected from a combination of magnesium hydroxide and magnesium carbonate hydroxide pentahydrate, magnesium hydroxide and titanium dioxide, magnesium carbonate hydroxide pentahydrate and titanium dioxide, or magnesium hydroxide, magnesium carbonate hydroxide pentahydrate, and titanium dioxide.

10

15 58. A method of generating an immune response in a subject comprising administering to the subject a parenteral vaccine formulation according to claims 1-20.

20 59. Vaccination or treatment of a vertebrate including a human being comprising administering a vaccine formulation according to claims 1-20.

25 60. A process for preparing a parenteral vaccine formulation according to claims 1-20 comprising adding liquid to a dry form of or a pre-formed gel of the salt formed with a Group 2 element of the Periodic Table selected from Mg, Ca, Sr, Ba and Ra, or a Group 4 element of the Periodic Table selected from Ti, Zr, Hf, and Rf, the salt not being calcium phosphate, not being magnesium hydroxide in combination with aluminium hydroxide or aluminium oxide and not being calcium hydroxide in gel combination with zinc hydroxide, lecithin and polyalphaolefine, thereby obtaining an adjuvant composition, and mixing said adjuvant composition with

30 one or more immunogenic substances and optionally

35

~~Sub 9~~ pharmaceutically acceptable carriers and/or excipients,
thereby obtaining the parenteral vaccine formulation.

61. Parenteral vaccine formulation obtainable by the
5 process according to claim 60.

~~add #10~~

09925635.080901